PARTS & SERVICE NEWS

REF NO.	AA01020
DATE	January, 15, 2001

Page 1 of 3

SUBJECT: FACE SEAL MEASUREMENTS FOR ALL 930E GDY85 WHEEL MOTORS.

PURPOSE: Provide measurements of the external face seal during disassembly for warranty

purposes.

APPLICATION: All 930E trucks.

FAILURE CODE: 2E4CZ9

DESCRIPTION: The specified measurements are needed to track any related in sometion involved

ing face seal failures.




Completed measurement sheets must be submitted with wirranty request for warranty approval. Warranty claims will be denied if not accompanied with completed measurement sheets.

For all GDY85B and GDY85C wheel motors (930%-), make measurements per attached sheet (page 2).

For all GDY85D and GDY85E wheel motors (50E-2), make measurements per attached sheet (page 3).





Serial number of the wheel assembly being serviced......______

Determine wheel bearing end play and record the amcult.....

NOTE: Measure each dimension listed below Acquire 3 different measurements for each dimension. The measurements should be taken approximately 120 degrees apart from one another. Calculate the average of each set of measurements.

Dimension "A" - Measurements are to be made before removing the wheel hub and/or the bearings. The assembly must be in vertical position with the outboard bearing facing upward.

Measurement 1	Measurement 2	Measurement 3
G '		Average Dim." A"

Dimension "B" Fixe thickness of frame assembly after removal of the brake assembly.


Measurement !	Measurement 2	Measurement 3
		Average Dim." B"

Dimension "C" - Rim mounting face to hub adapter mounting face after removal of brake assembly.

Measurement 1	Measurement 2	Measurement 3
		Average Dim." C"

Dimension "D" - Shim pack thickness. Measure each shim individually and calculate the sum.

Shim pack thickness	
---------------------	--



Serial number of the water assembly being serviced......

Determine wheel bearing end play prior to disassembly and record......______

Measure and record the gap at the external face seal between brake backing plate (EH5325) and seal carrier (EH7176). Make three measurements 120 degrees apart.

Measurement 1	Measurement 2	Measurement 3
		Average