COMPONENT CODE 3A

## PARTS & SERVICE NEWS

**REF NO.** | AA02191

DATE | August 8, 2002

Page 1 of 3

- **SUBJECT:** INTRODUCTION OF LARGE DIAMETER TIRE RIMS WITH IMPROVED DURABILITY
- **PURPOSE:** To introduce improved rims with increased durability for the large diameter tires 29.5-25.
- APPLICATION: WA500-3 Wheel Loader Serial Number 50001 and up WA500-3L Wheel Loader Serial Number A70001 and up WA500-3LK Wheel Loader Serial Number A71001 thru A711

FAILURE CODE: 3A20HB

## **DESCRIPTION:**

1. Introduction:

When the WA500-3 wheel loaders equipped with the large diameter tires 29.5-25 are operated severely such as making abrupt turns under loaded state requently, cracks may occur in the welded section between the rim base and the disc.

For the machines being operated as mentioned a give frequently, improved rims with increased durability have been developed and this Parts & Service News will introduce these improved new rims.

h. Welded section b the disc Disc



## 2. List of Parts


Part No.	Part Name	Q'ty	Remarks
A 425-W31-2101	Wheel A.	4	Made by TITAN
(425-W31-2100)	(Wheel A.)	(4)	
A 425-W31-2201	Wheel A.	4	Made by TOPY
(425-W31-2200)	(Wheel A.)	(4)	
A 425-W36-2101 A	Wheel A.	4	Made by TOPY
(425-W36-2100)	(Wheel A.)	(4)	(For the water balles, spec.)
☆ 425-W31-2111	Rim base	4	Made by ZITAN
(425-W31-2110)	(Rim base)	(4)	
☆ 425-W31-1112	Rim base	4	Mar. by TOPY
425-W31-1111	(Rim base)	(4)	<u>,</u> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
☆ 425-W36-1112	Rim base	↓ ↓	Made by TOPY
425-W36-1111	(Rim base)	(4,	(For the water ballast spec.)

\* Parts marked  $\otimes$  : Necessary when making the replacement in the wheel ass'y state. Parts marked  $\Rightarrow$  : Necessary when haking the replacement of the rim base only.

AA02191

https://re

3. Contents of the modification The welding between the rim base and the disk has been changed from 10 to 10 x 20 unequal leg length welding to increase the durability.



4. Part Number of the component parts of the wheel assembly

	Part No.		Remarks
	New parts 🗲	Current pr.rts	
A(Wheel ass'y)	425-W31-2101	425-W31-2100	Made by TITAN
	425-W31-2201	420-) <u>31</u> -2200	Made by TOPY
	425-W36-2101	125 W 36-2100	Made by TOPY (For the water ballast spec.)
B(Rim base)	425-W31-2	4.25-W31-2110	Made by TITAN
	425-W3 <mark>Z-5112</mark>		Made by TOPY
	425-W3C-1112	425-W36-1111	Made by TOPY (For the water ballast spec.)

